## EMISSION CONTROL TECHNOLOGIES FOR COAL-FIRED POWER PLANTS


Ravi K. Srivastava and Frank Princiotta
Air Pollution Prevention and Control Division
National Risk Management Research Laboratory
Office of Research & Development
U.S. Environmental Protection Agency

**January 16, 2004** 



## What We'll Cover Today . . .

- Electric power industry
- Pollutant emissions
- Control technologies





#### **Electric Power Industry**

- \$250 billion in annual electricity sales in 2002; likely to have annual sales between \$250 and \$270 billion in 2010 to 2015
- Industry operates 16,500 units and 5,700 plants
- There are 3,100 electric utilities, 2,800 IPPs, 230 IOUs, and 2,000 publicly owned utilities
- The industry employs 362,000 people
- In the last five years, we have seen industry spend \$88 billion in new power plant investments






## **Electricity Generation**

#### Electric Generation in 2002


#### Historical & Projected Electric Generation




Total Generation = 3,858 billion kWhs



## Different Regions of the Country Rely on Different Fuel Mixes to Generate Electricity.



#### **Coal-Fired Power Plants**




**U.S. Coal-Fired Power Plants** 

- There are about 530 power plants with 305 GW of capacity that consist of about 1,300 units.
- Coal plants generate the vast majority of power sector emissions:
  - 100% Hg
  - 95% SO<sub>2</sub>
  - 90% of NOx




### **Emissions of SO<sub>2</sub> & NO<sub>x</sub>**






#### **Emissions of Mercury**

#### **1999 Mercury Emissions**



#### **2020 Mercury Emissions**





## **Pollutant Reduction**

- Emissions reductions possible through:
  - Emissions control technologies
  - Advanced power generation technologies
  - Power plant upgrading options
  - Fuel switching
- Focus on emissions control technologies



## **NOx Control Technologies**

- Primary reduce the NOx produced in the primary combustion zone.
  - Widely used low NOx burners (LNBs) and overfire air (OFA)
- Secondary reduce the NOx already present in the flue gas
  - Widely used reburning, selective non-catalytic reduction (SNCR), and selective catalytic reduction (SCR)



## Low NOx Burners

- Limit NOx formation by delaying complete mixing of fuel and air
  - Reduced oxygen in primary flame zone
  - Reduced flame temperature
  - Reduced residence time at peak temperature
- Can provide reductions in excess of 50%




## **Overfire Air**

- 5 to 20% of the total combustion air is injected through ports located downstream of the top burner level
  - Burners operate at lower than normal air-to-fuel ratio resulting in NOx control, OFA added to achieve complete combustion
  - Can be used with LNB to increase NOx reduction by 10 to 25%




## Reburning



- Reburn fuel (natural gas, coal, other fuels) is injected to provide 15-25% of total heat input
- ≥50% NOx reduction, mercury and SO<sub>2</sub> reduction
- Low capital costs
- Fuels costs, availability of adequate residence time
- Applications: cyclone, wall, tangential; 33-600 MWe




## **SNCR**



- Urea or NH3 injection, generally between 980 to 1150 °C
- 30 to 60 % NOx reduction
- Low capital costs
- Load following, NH3 slip, performance on larger boilers
- Applications: cyclone, wall, tangential; 50-620 MW




## **SCR**



- NH3 injection, generally between 350-400 °C
- More than 90 % reduction is possible, especially with LNB
- Capital intensive, space requirements, NH<sub>3</sub> slip, SO<sub>3</sub> emissions, catalyst deactivation
- Applications:
  - More than 75 boilers;
     cyclone, wall, tangential;
     122 1300 MW




## SO<sub>2</sub> Control Technologies





#### **Wet Scrubbers**




FGD at Centralia Power Plant



- State-of-the-art is 95%
   SO<sub>2</sub> removal
- 98 GW (33%) of coal-fired units have scrubbers
- We project 115 GW to have scrubbers by 2010 for Title IV and State regs




## **Lime Spray Drying**



- State of the art is 90% removal
- More than 14 GW of installation




## **Performance**





## **Mercury in Coal-fired Boilers**





## **Mercury Speciation**

- In general, speciation depends on:
  - Coal properties (mercury, chlorine, and ash contents)
  - Time/temperature profile
  - Flue gas composition and fly ash characteristics (carbon, calcium, iron, porosity)
  - Flue gas cleaning conditions



## Mercury Capture in Existing Equipment

#### Removal in PM Controls


- Mercury can be adsorbed onto fly ash surfaces; Hg<sup>2+</sup> is more readily adsorbed than Hg<sup>0</sup>
- Mercury can be physically adsorbed at relatively lower temperatures (hot-side ESP vs. cold-side ESP)

#### Capture in Wet Scrubbers

- Hg<sup>2+</sup> capture depends on solubility of each compound; Hg<sup>0</sup> is insoluble and cannot be captured
- Capture enhanced by SCR




## **ICR Data**



- Bituminous vs subbituminous
- Hg capture for different coal-control technology combinations correlate with coal chlorine content



## Chlorine vs. Mercury Speciation



- ICR data for Hg<sup>0</sup>
   at ESP & FF inlet
- Hg<sup>0</sup> oxidation appears to be independent of chlorine above 100 µg/g
- Other important factors
  - Temperature
  - Fly ash carbon



## **SCR and Mercury Interactions**

- Speciation influences emissions control
  - Ionic Hg<sup>2+</sup> is removed easily by wet scrubbers
  - Volatile elemental Hg<sup>0</sup> is difficult to capture
- SCR units are being used extensively to meet current NOx regulations
- SCR can convert elemental mercury in coal combustion flue gas into the ionic form
  - field data in Europe and U.S. reflects increase in Hg<sup>2+</sup> across SCR reactor



## **SCR-Mercury R&D**

- Tested 4 utility plants in the 2001 and 2 in 2002; retested 2 plants in 2002; total of 8 data points
- Oxidized mercury increase across SCR: bit. up to 71%; subbit. 10% (one data point only)
- Removal in PM control and FGD (5 data points) ~ 85% 90%
- Results from repeated tests were consistent with previous data; impacts of SCR catalyst aging not apparent
- SCR systems with relatively lower catalyst volumes (space velocity greater than 3500 hr-1) also showed significant oxidation increases
- Data gaps: PRB, blends
- Ongoing EPA bench- and pilot-scale research: HCl provides critical chlorine source for Hg<sup>0</sup> oxidation; NOx has a significant promotional effect; SO<sub>x</sub> has little effect under the conditions of this study



# PM Control Technologies for Power Plants

- Electrostatic precipitators (ESPs)
  - 72% of U.S. coal-fired boilers, total PM up to 99.9%, fine PM 80-95%
- Baghouses
  - 14% of U.S. coal-fired boilers, total PM up to 99.9%, fine PM 99-99.8%




## Sometimes a picture is worth a ...





#### **How Does an ESP Work?**




## **Emerging Technologies**





## **Sorbent Injection**

- The extent of capture depends on:
  - Sorbent characteristics
     (particle size distribution,
     porosity, capacity at different
     gas temperatures)
  - Residence time in the flue gas
  - Type of PM control (FF vs. ESP)
  - Concentrations of SO<sub>3</sub> and other contaminants





#### Activated Carbon Injection (ACI)

- ACI successfully used to reduce mercury emissions from waste-toenergy facilities. Effort underway to transfer to coal-fired power plants.
- Not currently installed at any power plant, but short-term testing suggests it may eventually be able to achieve 90% control for all coal types.

Activated carbon injection system



Activated carbon storage and feed system






## **Carbon Injection Projects**

- Alabama Power E.C. Gaston: unit 3, 270-MW, low-sulfur eastern bit. coals (0.14 ppm Hg and 160 ppm Cl); hot-side ESP, COHPAC baghouse; testing on one-half of the gas stream, nominally 135 MW; wet ash to pond
- WEPCO Pleasant Prairie: unit 2, 600-MW, PRB coal (0.11 ppm Hg and 8 ppm Cl); ESP (468 ft<sup>2</sup>/kacfm), spray cooling, SO<sub>3</sub> conditioning; testing on one ESP chamber (1/4 of the unit); fly ash sold for use in concrete
- PG&E Brayton Point: unit 1, 245-MW, low-S bit. coal (0.03 ppm Hg and 2000-4000 ppm Cl); SO<sub>3</sub> conditioning system; 2 ESPs in series (550 ft<sup>2</sup>/kacfm); PAC injection between the ESPs
- PG&E Salem Harbor: 85-MW, low-S bit. coal (0.03-0.08 ppm Hg and 206 ppm Cl); ESP (474 ft<sup>2</sup>/kacfm); SNCR




## **Mercury Removal Trends with ACI**





# PG&E Salem Harbor (w/o PAC Injection)

- 85-MW, low-S bit. coal (0.03-0.08 ppm Hg and 206 ppm Cl); ESP (474 ft<sup>2</sup>/kacfm); SNCR
- High baseline removal due to high levels of LOI; minimal impact on reducing LOI from 30-35% to 15-20% at 300 °F
- Temperature has greater effect than LOI
- SNCR has no impact on Hg removal



Temperature (°F)




Source: ADA-ES

#### **PG&E Salem Harbor**

(w/ PAC Injection)

- At lower temperatures, removal by PAC affected by high baseline removal
- At higher temperatures, linear behavior (similar to that at Brayton Point






## A few more things . . .



## **Wet FGD Modification**



- Capable of removing SO<sub>2</sub> in excess of 95 %
- Can remove oxidized Hg
- Three routes for NO removal:
  - gas phase oxidation to N<sub>2</sub>O<sub>5</sub>
  - oxidation to NO<sub>2</sub> and reduction to N<sub>2</sub> in the scrubber via sulfate and bisulfate ions
- Investigate SO2, Hg, NOx removal and SO2 to SO3 conversion




## ESFF



- Electrostatically Stimulated Fabric Filtration (ESFF)--developed by EPA
- Pulsejet fabric filter with high voltage electrodes centered between groups of four bags
- Pilot-scale performance data:
  - **PM2.5** with ESFF=0.14 mg/m3
  - PM2.5 without ESFF=0.51 mg/m3
  - PM1 with ESFF=0.05 mg/m3
  - PM1 without ESFF=0.17 mg/m3
- BHA Group, Inc. licensee has developed preliminary commercial design



#### **Development of Multipollutant Sorbents**



#### Sorbent Development

- Synthesis,
   Characterization,
   Evaluation &
   Optimization
- Relate structure and chemical nature to adsorption characteristics

#### Types of Sorbents Being Studied

- -Sorbents synthesized using industrial by-products
- -Modified carbon-type sorbents
- -Surface modified Calcium Silicate Hydrate (C-S-H)
- -Multipollutant sorbents that also have adsorptive capacity for CO<sub>2</sub>

